Causes severe skin burns and eye damage May cause respiratory irritation May cause damage to organs through prolonged or repeated exposure



#### Precautionary Statements Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Use only outdoors or in a well-ventilated area Keep only in original container **Response** Immediately call a POISON CENTER or doctor/physician Inhalation

Ingestion	Do not induce vomiting. Call a physician or Poison Control Center immediately.	
Most important symptoms/effects Notes to Physician	Causes burns by all exposure routes Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus sho be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation Treat symptomatically	
	5. Fire-fighting measures	
Suitable Extinguishing Media	Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.	
Unsuitable Extinguishing Media	No information available	
Flash Point Method -	No information available No information available	
Autoignition Temperature	No information available	

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrochloric acid	Ceiling: 2 ppm	Ceiling: 5 ppm Ceiling: 7 mg/m <sup>3</sup> (Vacated) Ceiling: 5 ppm (Vacated) Ceiling: 7 mg/m <sup>3</sup>	IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m <sup>3</sup>

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Hydrochloric acid	Ceiling: 5 ppm	Ceiling: 5 ppm	CEV: 2 ppm
	Ceiling: 7.5 mg/m <sup>3</sup>	Ceiling: 7 mg/m <sup>3</sup>	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures	Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by
	OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

**Hygiene Measures** 

# 9. Physical and chemical properties

Physical State	Liquid	
Appearance	Colorless	
Odor	pungent	
Odor Threshold	No information available	
рН	< 1	
Melting Point/Range	-35 °C / -31 °F	
Boiling Point/Range	57 °C / 135 °F @ 760 mmHg	
Flash Point	No information available	
Evaporation Rate	No information available	
Flammability (solid,gas)	Not applicable	
Flammability or explosive limits		
Upper	No data available	
Lower	No data available	
Vapor Pressure	125 mbar @ 20 °C	
Vapor Density	1.27 (Air = 1.0)	
Relative Density	1.18	
Solubility	Soluble in water	
Partition coefficient; n-octanol/water	No data available	
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Viscosity	1.8 mPa.s @ 15°C	
Molecular Formula	HCI.H2O	
Molecular Weight	36.46	

# 10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products. Excess heat.

Incompatible Materials	Metals, Strong oxidizing agents, sodium hypochlorite, Amines, Bases, Fluorine, Cyanides, alkaline		
Hazardous Decomposition Products	s Hydrogen chloride gas		
Hazardous Polymerization	Hazardous polymerization does not	occur.	
Hazardous Reactions	Contact with metals may evolve flammable hydrogen gas.		
	11. Toxicological inf	ormation	
Acute Toxicity Product Information Oral LD50 Dermal LD50 Vapor LC50 Component Information Component	Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.LD50 OralLD50 DermalLD50 Inhalation		

Do not empty into drains.

Component Hydrochloric acid Persistence and Degradabil	Freshwater Algae - ity Persistence is	<b>Freshwater Fish</b> 282 mg/L LC50 96 h s unlikely based on informat	Microtox - ion available.	Water Flea -
Bioaccumulation/ Accumula	ation No informatio	n available.		
Mobility	Will likely be r	mobile in the environment d	ue to its water solubility	<i>י</i> .
	13. Dis	sposal considera	tions	
Waste Disposal Methods	Chemical was hazardous wa national haza	ste generators must determi aste. Chemical waste gener rdous waste regulations to e	ne whether a discarded rators must also consul ensure complete and ad	d chemical is classified as a t local, regional, and ccurate classification.
	14. T	ransport informa	tion	
DOT UN-No Proper Shipping Name Hazard Class Packing Group TDG UN-No Proper Shipping Name Hazard Class Packing Group <u>IATA</u> UN-No	UN1789 HYDROCHLO 8 II UN1789 HYDROCHLO 8 II UN1789	DRIC ACID DRIC ACID		
Proper Shipping Name Hazard Class	Hydrochloric a	acid		

#### TSCA 12(b)

Not applicable

### SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Hydrochloric acid	7647-01-0	35-38	1.0
SARA 311/312 Hazardous Categorization Acute Health Hazard Chronic Health Hazard Fire Hazard Sudden Release of Pressure Hazard	Yes Yes No No		

#### Clean Water Act

**Reactive Hazard** 

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Hydrochloric acid	Х	5000 lb	-	-

No

#### Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Hydrochloric acid	Х		-

## **OSHA** Occupational Safety and Health Administration

Not applicable

Component	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Hydrochloric acid	-	TQ: 5000 lb

## CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component Hydrochloric acid		Hazardous Substances RQs 5000 lb		CERCLA EHS RQs 5000 lb		
California Proposition 65 This product of		duct does not conta	does not contain any Proposition 65 chemicals			
State Right-to-Know						
Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island	
Hydrochloric acid	Х	Х	Х	Х	Х	
U.S. Department of Transportation						
Reportable Quantity (RQ):	Y					
DOT Marine Pollutant	N					
DOT Severe Marine Polluta	int N					
<b>U.S. Department of Home</b> This product contains the fo	land Security Ilowing DHS chemica	als:				
Component			DHS Chemical Facility Anti-Terrorism Standard			
Hydrochloric acid		0 lb STQ (anhydrous); 11250 lb STQ (37% concentration or greater)				
Other International Regula	ations			<b>C</b> ,		
Mexico - Grade	No inform	nation available				

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR



The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

# **End of SDS**