



Precautionary Statements Prevention Wash face, hands and any exposed skin thoroughly after handling

Method -	No information available
Autoignition Temperature Explosion Limits	235 °C / 455 °F
Upper	46.0%
Lower	3.3%
Sensitivity to Mechanical Impact	
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated.

Hazardous Combustion Products

Sulfur oxides

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

	6. Accidental release measures			
Personal Precautions	Use personal protective equipment. Avoid dust formation. Remove all sources of ignition.			
Environmental Precautions	Take precautionary measures against static discharges. Should not be released into the environment. See Section 12 for additional ecological information. Do not flush into surface water or sanitary sewer system.			
Methods for Containment and Clean Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dustUpformation. Remove all sources of ignition.				
7. Handling and storage				
Handling	Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges. Wash hands before breaks and immediately after handling the product.			
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area. Keep away from heat and sources of ignition.			

9. Physical and chemical properties

Physical State Appearance Odor **Odor Threshold** рΗ **Melting Point/Range** Boiling Point/Range Flash Point **Evaporation Rate** Flammability (solid,gas) Flammability or explosive limits Upper Lower Vapor Pressure Vapor Density **Relative Density** Solubility Partition coefficient; n-octanol/water **Autoignition Temperature**

Solid Yellow rotten-egg like No information available No information available 113 °C / 235.4 °F 445 °C / 833.0 °F 168 °C / 334.4 °F No information available No information available

46.0% 3.3% No information available No information available 2.07 Insoluble in water No data available

Sensitization		May cause sensitization by inhalation and skin contact				
Carcinogenicity		The table below indicates whether each agency has listed any ingredient as a carcinogen.				
Component Sulfur Mutagenic Effects	CAS-No 7704-34-9	IARC Not listed No information ava	NTP Not listed ailable	ACGIH Not listed	OSHA Not listed	Mexico Not listed
Reproductive Effects	5	No information available.				
Developmental Effec	ts	No information available.				
Teratogenicity		No information available.				
STOT - single expos	ure	Respiratory system				

IMDG/IMO	
UN-No	1350
Proper Shipping Name	SULPHUR
Hazard Class	4.1
Packing Group	III
	15 Desuitatem dafa

15. Regulatory information

International Inventories

Component

U.S. Department of Homeland Security This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

Slight risk, Grade 1

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

B4 Flammable solid D2B Toxic materials

