

**Identity:**  
*(As used on label and list)*

Section I	Manufacturer's Name: Brain Power Incorporated (BPI)		Emergency Telephone Number: 305-264-4465			
	Address: 4470 SW 74th Avenue Miami, Florida 33155. USA.		Telephone Number for Information: 305-264-4465			
	Date Prepared:					
Section II Specific Chemical Identity: Common Name (s)	Hazardous Components Specific Chemical Identity: Common Name (s)		OSHA PEL	ACGIH TLV	Other Limits	% Optional
Section III Characterisic						

**Identity:** (As used on label and list) BPI Crystal Clear™, BPI UV Diamond Dye™ 400nm, BPI UV Diamond Dye™ 400 XL, BPI UV-C895 58..\* UV-C895 58..\*BPI.UV DiamoL, +e ius™s to avoid)

Section V Reactivity Data	Stability:	Unstable: <input type="checkbox"/>	Conditions to avoid: Stable on storage under normal conditions. Avoid ignition sources.
		Stable: <input checked="" type="checkbox"/>	
	Incompatibility: (Materials to avoid)	Avoid oxidizing and reducing agents, strong acids and strong bases.	
	Hazardous Decomposition or Byproducts	Decomposing may produce oxides of carbon, nitrogen, and/or sulfur.	
Section VI Health Hazard Data	Hazardous Polymerization:	May occur: <input type="checkbox"/>	Conditions to avoid: None known
		Will not occur: <input checked="" type="checkbox"/>	
	Route(s) Of Entry: Inhalation? Yes	Skin? Yes	Ingestion? Yes
	Health Hazards: (Acute & Chronic)	Inhalation may lead to dizziness. Extreme overexposure by inhalation or ingestion may lead to liver damage, optic nerve damage or fatality. May cause eye or skin irritation. Dyes are sensitizers may cause allergic reaction. Oral LD50 1.2g/kg for UV dyes. Oral LD50 6.2 g/kg (rat) for SD Alcohol.	
Section VII Precautions For Safe Handling And Use	Carcinogenicity: NTP? Not listed	IARC Monographs? Not listed	OSHA Regulated? Not listed
	Signs & Symptoms of Exposure:	Eye and skin exposure may cause redness and irritation. May cause allergic reaction. Overexposure by inhalation or ingestion may lead to dizziness, loss of coordination, or severe gastric distress in extreme cases of overexposure.	
	Medical Conditions Generally Aggravated By Exposure:	May aggravate existing skin or liver conditions. Hyperallergenic persons should exercise reasonable precautions.	
	Emergency & First Aid Procedures:	Inhalation: Move to fresh air. Eye or skin contact: Flush exposed area well with water for at least 15 minutes. If irritation persists seek medical assistance. Ingestion: Seek immediate medical assistance.	
Section VIII Control Measures	Steps To Be Taken In Case Material Is Released Or Spilled:	Disconnect all ignition sources,. Avoid eye or skin contact. DO NOT SWALLOW. Wear impervious gloves (such as disposable latex) and splash-proof chemical goggles. Soak up spills with an inert absorbent material. Place in a closed container for proper disposal. For major spills wear a NIOSH approved respirator for organic vapors.	
	Waste Disposal Method:	Dispose of waste in accordance with all local, state, and federal regulations.	
	Precautions To Be Taken In Handling & Storage:	Use only with appropriate equipment. Avoid open flame, spark or hot plate. Avoid skin and eye contact. DO NOT SWALLOW. Keep container closed when not in use. Work in a well-ventilated area. Wash well after use. Eye washes and safety showers are strongly recommended. Danger. UV solutions may boil-over and cause burns. Use protective gloves and other precautions.	
Section VIII Control Measures	Respiratory Protection: (Specify Type)	See information specific to spills.	
	Ventilation:	Local Exhaust: Recommended	Special: Comply with local and state regulations
		Mechanical: (General) Acceptable	Other: Avoid ignition sources.
	Protective Gloves:	Strongly recommended	
	Eye Protection:	Strongly recommended	
Other Protective Clothing Or Equipment:	Protective lab coat recommended.		
Section VIII Control Measures	Work/Hygenic Practices:	Avoid all personal contact. Wear appropriate safety equipment. Wash well after use.	